

GRAVITY DAMPER

BD







AND SPECIAL A



BD

DESCRIPTION

BD is a non-return gravity damper with one row of free moving horizontal blades. The blades are bridged (max 4 blades together). For installation in rectangular air ducts. Allows the air movement only in one direction and isolates the air ducts when the ventilation/air conditioning system stops the operation.

MATERIALS


The BD frame is manufactured by galvanized steel sheet. The blades are manufactured by anodized aluminium and in the length they have rubber seals for noise reduction when the damper is closing and better air tightness. For the bridging metal and plastic parts are used for noise reduction.

FIXING


The BD is installed between two air duct pieces. The fixing is possible with screws in the holes of the corners of the air duct profiles.


WAY OF ORDER BD-__X__ Width X Height (mm)

DIMENSIONS









Selection example

What is the pressure drop for a B series air grille of nominal dimensions 50X40 cm, used for 3000m³/h of fresh air exhaust? What is the resulting noise level?

The equivalent diameter of the 50x40 cm B grille is found from the equivalent diameter selection table to be 50 cm. According to diagram 1, for 3000m³/h the pressure drop is 24 Pa or approximately 2,4 mmWG (mm of water gauge). This volumetric flow rate corresponds to a mean air velocity of about 4,2 m/s in the air grille. The resulting noise may be found from diagram 2 to be around 59 dBA.

What are the appropriate dimensions of a B series air grille used in a ventilating system, to meet a need of 1500 m³/h of air?

Considering that a 20 Pa pressure drop is adequate for an airflow of 1500 m³/h, diagram 1 gives the required equivalent diameter to be 0,37 m. If due to constructional reasons the grille height is kept to 30 cm, then according to the table of equivalent diameter selection the appropriate grille width is 35 cm. From diagram 1 the mean air velocity is around 2,7 m/s, while from diagram 2 the resulting noise is around 57 dBA.

EQUIVALENT DIAMETER SELECTION TABLE [cm]

[10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	110	115	120	125	130	135	140	145	150
ſ	10	11	14	16	18	20	21	23	24	25	26	28	29	30	31	32	33	34	35	36	37	37	38	39	40	41	41	42	43	44
	15	14	17	20	22	24	26	28	29	31	32	34	35	37	38	39	40	41	43	44	45	46	47	48	49	50	51	52	53	54
	20	16	20	23	25	28	30	32	34	36	37	39	41	42	44	45	47	48	49	50	52	53	54	55	56	58	59	60	61	62
[25	18	22	25	28	31	33	36	38	40	42	44	45	47	49	50	52	54	55	56	58	59	61	62	63	64	66	67	68	69
[30	20	24	28	31	34	37	39	41	44	46	48	50	52	54	55	57	59	60	62	63	65	66	68	69	70	72	73	74	76
[35	21	26	30	33	37	40	42	45	47	50	52	54	56	58	60	62	63	65	67	68	70	72	73	75	76	78	79	80	82
[40	23	28	32	36	39	42	45	48	50	53	55	58	60	62	64	66	68	70	71	73	75	77	78	80	81	83	84	86	87
• [45	24	29	34	38	41	45	48	51	54	56	59	61	63	66	68	70	72	74	76	78	79	81	83	85	86	88	90	91	93
	50	25	31	36	40	44	47	50	54	56	59	62	64	67	69	71	74	76	78	80	82	84	86	87	89	91	93	94	96	98
. [55	26	32	37	42	46	50	53	56	59	62	65	67	70	72	75	77	79	82	84	86	88	90	92	94	95	97	99	101	103
	60	28	34	39	44	48	52	55	59	62	65	68	70	73	76	78	81	83	85	87	90	92	94	96	98	100	102	103	105	107
	65	29	35	41	45	50	54	58	61	64	67	70	73	76	79	81	84	86	89	91	93	95	98	100	102	104	106	108	110	111
[70	30	37	42	47	52	56	60	63	67	70	73	76	79	82	84	87	90	92	94	97	99	101	103	106	108	110	112	114	116
	75	31	38	44	49	54	58	62	66	69	72	76	79	82	85	87	90	93	95	98	100	103	105	107	109	111	114	116	118	120
	80	32	39	45	50	55	60	64	68	71	75	78	81	84	87	90	93	96	98	101	103	106	108	111	113	115	117	119	122	124
	85	33	40	47	52	57	62	66	70	74	77	81	84	87	90	93	96	99	101	104	107	109	112	114	116	119	121	123	125	127
	90	34	41	48	54	59	63	68	72	76	79	83	86	90	93	96	99	102	104	107	110	112	115	117	120	122	124	127	129	131
[95	35	43	49	55	60	65	70	74	78	82	85	89	92	95	98	101	104	107	110	113	115	118	121	123	125	128	130	132	135
ſ	100	36	44	50	56	62	67	71	76	80	84	87	91	94	98	101	104	107	110	113	116	118	121	124	126	129	131	134	136	138